

WHAT IS CLAIMED IS:

1. A game information storage medium utilized for a first game machine
having a first architecture, comprising:

at least one game program for a second game machine having a second
5 architecture different from the first architecture of the first game machine;
at least one emulator program which emulates the second game machine in
the first game machine to thereby render the game program executable on the
first game machine; and

a game selection program for displaying information indicative of a game
10 title of the game program to be selected by a player, whereby when
the game information storage medium is utilized on the first game machine, the
game selection program is executed to permit a player to select a game title, and
the game program corresponding to the selected game title is executed using the
emulator program.

15 2. A game information storage medium according to claim 1, wherein the
game program includes at least two game programs, and

the game selection program displays game titles of the at least two game
programs so as to cause the player to select any one of the game titles.

3. A game information storage medium according to claim 1, further
20 comprising at least one game program for the first game machine, wherein

the game selection program displays information indicative of the game
titles of the game program for first game machine and the game program for

second game machine so as to prompt a player to select any one of the game titles, and when a game title selected by the player is of the game program for first game machine, the game program for first game machine is directly executed, and when the game title selected by the player is of the game program
5 for second game machine, the game program for second game machine is executed based on the emulation program.

D 4. A game information storage medium according to claim 2, wherein the emulator program includes at least two emulator programs which emulate at least two kinds of second game machines having architectures different from each
10 other, and

the game selection program starts execution of a game program for the second game machine of the selected game title based on the emulator program corresponding to the game program for second game machine.

5. A game information storage medium according to claim 2, wherein the
15 emulator program includes at least two emulator programs which emulate the second game machine in at least two kinds of first game machines having architectures different from each other, and

the game selection program includes a program for starting execution of the game program for the second game machine based on the emulation program
20 corresponding to a kind of the first game machine.

6. A game information storage medium according to claim 1, wherein the second game machine has a lesser processing capability than the first game

machine.

7. A game information storage medium according to claim 1, further including a preliminary program for outputting preliminary information indicative of an outline of a game according to the game program, wherein

5 when a game title is provisionally selected, the game selection program executes the preliminary program associated with the provisionally-selected game title so as to output the preliminary information, and when the game title is formally selected, the game selection program starts execution of the game program of the formally-selected game title and execution of the emulator
10 program which causes the game program to be executed in the first game machine.

8. A game information storage medium according to claim 1, further including graphics data of a plurality of kinds of characters usable in a game;

a character display/selection program which displays the respective
15 characters prior to the execution of the game program so as to prompt a player to select a desired character out of the displayed characters; and

a data replacement program which replaces the graphics data read-out by the emulator program with the graphics data of the character that has been selected by the player.

20

9. A game information storage medium used in a first game machine

which includes a first processing system for processing a program stored in the game information storage medium, a writable/readable memory and a controller operated by a player for utilizing a game program for a second game machine which includes a second processing system having an architecture different from
5 an architecture of the first processing system in the first game machine, comprising:

at least one game program for the second game machine;

at least one emulator program which includes a program for converting the architecture of the second processing system into the architecture of the first
10 processing system such that the first processing system can process the game program for the second game machine; and

a game selection program for displaying information indicative of a game title to be selected by the player in starting the medium, wherein

the emulator program and at least a portion of the game program of the
15 game title selected by the player are accessed when the player selects the information indicative of a game title of the game program for the second game machine.

10. A game information storage medium according to claim 9, wherein the emulator program includes a program which sets a virtual register corresponding
20 to a register included in the second processing system in a storage area of the writable/readable memory and calculates data to be generated by the second processing system by utilizing the virtual register in response to an instruction in

the game program for the second game machine.

.11 A game information storage medium according to claim 9, wherein the first processing system includes a first graphics processor for performing graphics processing for displaying an image by the first game machine based on
5 the game program for the first game machine, and a first operation processor for performing processing operations other than the graphics processing, and

the second processing system includes a second graphics processor for performing graphics processing for displaying an image by the second game machine based on the game program for the second game machine, and a second
10 operation processor for performing processing operations other than the graphics processing, and wherein

the emulator program includes

a graphics processing emulator program for causing the first processing system to emulate a function of a second graphics processor provided in the
15 second game machine, and

an operation processing emulator program for causing the first processing system to emulate a function of the second processing system provided in the second game machine.

12. A game information storage medium according to claim 9, wherein the
20 game program includes game programs for at least two kinds of the second game machines having architectures different from each other and the architecture of the first game machine, and wherein

the emulator program includes a program for converting each of the game programs for different kinds of second game machines into the architecture of the first game machine, and

the game selection program includes information necessary for selecting
5 the emulator program for executing the game program of the selected game title when information indicative of a desired game title is selected by the player.

13. A game information storage medium according to claim 9, further including a preliminary program for outputting preliminary information indicative of an outline of a game according to the game program, wherein
10 when a game title is provisionally selected, the game selection program executes the preliminary program associated with the provisionally-selected game title so as to output the preliminary information, and when the game title is formally selected, the game selection program starts execution of the game program of the formally-selected game title and execution of the emulator
15 program which causes the game program to be executed in the first game machine.

14. A game information storage medium according to claim 9, further comprising:

graphics data of a plurality of kinds of characters usable in a game;
20 a character display/selection program which displays the respective characters prior to the execution of the game program so as to prompt a player to select a desired character out of the displayed characters; and

a data replacement program which replaces the graphics data read-out by the emulator program with the graphics data of the character that has been selected by the player.

15. A game information storage medium according to claim 9, wherein the
5 second game machine has a lesser processing capability than that of the first game machine.

16. A game system for providing in a first game machine having a first architecture which executes a program stored in a game information storage medium for playing a game for a second game machine having a second
10 architecture different from the first architecture of the first game machine, wherein

said game information storage medium includes

at least one game program for the second game machine;

at least one emulator program which enables the game program to
15 be executed by emulating the second game machine in the first game machine;
and

a game selection program which displays information indicative of at least one game title of the game program to be selected by a player, and

said first game machine includes

20 a game selection program executing processor for executing the game selection program to display information indicative of the game title on a display for prompting the player to select the game title, and start execution of

the game program of the selected game title based on the emulator program, and
wherein the game program execution is started based on the
emulator program when the game program of a game title selected by the player
is the game program for the second game machine.

5 17. A game system according to claim 16, wherein the emulator program
includes at least two emulator programs which emulate at least two kinds of
second game machines having architectures different from each other,

the game selection program starts execution of a game program for the
second game machine of the selected game title based on the emulator program
10 corresponding to the game program for second game machine.

18. A game system according to claim 17, wherein the emulator program
includes at least two emulator programs which emulate the second game machine
in at least two kinds of first game machines having architectures different from
each other, and

15 the game selection program includes a program for starting execution of
the game program for second game machine based on the emulation program
corresponding to a kind of the first game machine.

19. A game system according to claim 16, wherein the second game
machine has a lesser processing capability than that of the first game machine.

20 20. A game system comprising:

a first game machine including a first processing system which processes a
program stored in a game information storage medium, a writable/readable

memory, and a controller operated by a player to play a game program for a second game machine including a second processing system having an architecture different from an architecture of the first processing system, wherein said game information storage medium includes

5 at least one game program for the second game machine;

 at least one emulator program which includes a program for converting the architecture of the second processing system into the architecture of the first processing system such that the first processing system can process the game program for the second game machine; and

10 a game selection program for displaying information indicative of a game title to be selected by the player, and wherein

 said first processing system includes

 first reading circuitry for reading the game selection program and storing the same in the writable/readable memory;

15 a game program executing processor for displaying information indicative of the game title stored in the game information storage medium based on the game selection program;

 second reading circuitry for reading the emulator program and at least a portion of the game program of the game title selected by the player and
20 for transferring the same to the writable/readable memory when the player selects the game title; and

 wherein said game program executing processor is operable for

executing the game program stored in the writable/readable memory while referring to the emulator program to process the game program for the second game machine of the selected game title.

21. A game information storage medium utilized for a first game machine
- 5 having a first architecture, comprising:
- at least one game program for the first game machine;
 - at least one game program for a second game machine having a second architecture different from the first architecture of the first game machine;
 - at least one emulator program which emulates the second game machine in
- 10 the first game machine to thereby allow the game program to be executed in the first game machine; and
- a game selection program for displaying information indicative of a game title of the game program to be selected by a player, wherein
- when the game information storage medium is accessed during the
- 15 execution of the game selection program by the first game machine to display the information indicative of the game titles of the game program for first game machine and the game program for second game machine, and when the game title selected by the player is a game program for first game machine, execution of the game program for first game machine is started, and when the game title
- 20 selected by the player is of the game program for second game machine, execution of the game program for second game machine is started based on the emulate program.

22. A game information storage medium used in a first game machine which includes a first processing system for processing a program stored in the game information storage medium, a writable/readable memory and a controller operated by a player so as to utilize a game program for a second game machine
5 which includes a second processing system having an architecture different from an architecture of the first processing system in the first game machine comprising:

at least one game program for the first game machine;
at least one game program for the second game machine;
10 at least one emulator program which includes a program for converting the architecture of the second processing system into an architecture compatible with the first processing system such that the first processing system can process the game program for the second game machine; and

a game selection program for displaying information indicative of a game
15 title to be selected by the player, wherein
when the player selects information indicative of the game title of the game program for the first game machine, at least a portion of the game program of that game title is read-out, and when the player selects the game title of the game program for the second game machine, the emulator program and at least a
20 portion of the game program of the game title selected by the player are read-out.

23. A game information storage medium according to claim 22, wherein the emulator program includes a program which sets a virtual register

corresponding to a register included in the second processing system in a storage area of the writable/readable memory and calculates data to be generated by the second processing system by utilizing the virtual register in response to an instruction by the game program for the second game machine, whereby the first
5 processing system indirectly executes said data as an instruction of the game program for the first game machine.

24. A game information storage medium according to claim 22, wherein the first processing system includes a first graphics processor for performing processing for displaying an image by the first game machine based on the game
10 program for the first game machine, and a first operations processor for performing processing operations other than the graphics processing, and

the second processing system includes a second graphics processor for performing processing for displaying an image by the second game machine based on the game program for the second game machine, and a second
15 operations processor for performing processing operations other than the graphics processing, and

the emulator program includes a graphics processing emulator program for causing the first processing system to emulate a function of a second graphics processor provided in the
20 second game machine, and

an operation processing emulator program for causing the first processing system to emulate a function of the second processing system provided in the

second game machine.

25. A game information storage medium according to claim 22, wherein the game program includes game programs for at least two kinds of the second game machines having architectures different from each other and the

5 architecture of the first game machine, and

the emulator program includes a program for converting each of the game programs for different kinds of second game machines into the architecture of the first game machine, and

the game selection program includes information necessary for selecting
10 the emulator program for executing the game program of the selected game title when the desired game title is selected by the player.

26. A game information storage medium according to claim 21, further comprising a preliminary program for outputting preliminary information indicative of an outline of a game according to the game program, wherein

15 when the game title is provisionally selected, the game selection program executes the preliminary program associated with the provisionally-selected game title so as to output the preliminary information, and when the game title is formally selected, the game selection program starts execution of the game program of the formally-selected game title.

20 27. A game information storage medium according to claim 21, further comprising:

graphics data of a plurality of kinds of characters usable in a game;

a character display/selection program which displays the respective characters prior to the execution of the game program so as to cause the player to select a desired character out of the displayed characters; and

a data replacement program which replaces the graphic data read-out by
5 the emulator program with the graphic data of the character that has been selected by the player.

28. A game system comprising:

a first game machine having a first architecture which executes a program stored in a game information storage medium for playing a game for a second
10 game machine having a second architecture different from the first architecture of the first game machine, wherein

said game information storage medium includes

at least one game program for the first game machine;

at least one game program for the second game machine;

15 at least one emulator program which allows the game program possible to be executed by emulating the second game machine in the first game machine; and

a game selection program which displays information indicative of at least one game title of the game programs to be selected by a player, and

20 when the first game machine executes the game selection program to display the information indicative of a game title on a display for prompting the player to select the game title, and when the game title selected by the player is a

game program for the second game machine, the first game machine starts the execution of that program based on the emulator program, and when the game title selected by the player is of the game program for the first game machine, the first game machine directly starts the execution of that game program.

5 29. A game system comprising:

 a first game machine including a first processing system processing a game program, a writable/readable memory and a controller operated by a player for playing a game program for a second game machine including a second processing system having an architecture different from an architecture of the first processing system and a lesser processing capability than the processing capability of the first game machine, wherein

 a game information storage medium used for the first game machine includes

 a game program for the first game machine;

15 at least one game program for the second game machine;

 at least one emulator program which includes a program for converting the architecture of the second processing system into an architecture compatible with the first processing system such that the first processing system can process the game program for the second game machine; and

20 a game selection program for displaying information indicative of a game title to be selected by the player, and

 the first processing system reads the game selection program to write the

same into the writable/readable memory, displays a list of the game programs stored in the game information storage medium on a display screen based on the game selection program, and when the game program for the first game machine is selected by the player, after reading of at least a portion of that game program for the first game machine and transferring of the same to the writable/readable memory, executes the game program for the first game machine, and when the game program for the second game machine is selected by the player, after reading of the emulator program and at least a portion of that game program for the second game machine and transferring the same to the writable/readable memory, processes the game program for the second game machine stored in the writable/readable memory while referring to the emulator program stored in the memory.

.30. A method for operating a video game system having a game information storage medium utilized for a first game machine having a first architecture, comprising the steps of:

storing in the game information storage medium at least one game program for a second game machine having a second architecture different from the first architecture of the first game machine;

storing in the game information storage medium at least one emulator program which emulates the second game machine in the first game machine to thereby render the game program executable on the first game machine; and displaying information indicative of a game title of the game program to

be selected by a player; and

executing a selected game program using the emulator program

31. A method according to claim 30, wherein the game program includes
at least two game programs, and further including the step of displaying game
5 titles of the at least two game programs so as to cause the player to select any one
of the game titles.

32. A method according to claim 30, further comprising the steps of
displaying information indicative of the game titles of the game program for the
first game machine and the game program for second game machine so as to
10 prompt a player to select any one of the game titles, and directly executing a
game program when the game title selected by the player is of the game program
for first game machine, executing the game based on the emulation program
when the game title selected by the player is of the game program for second
game machine.

15 33. A method according to claim 31, wherein the emulator program
includes at least two emulator programs which emulate at least two kinds of
second game machines having architectures different from each other, and
starting the execution of a game program for the second game machine of
the selected game title based on the emulator program corresponding to the game
20 program for second game machine.

34. A method according to claim 31, wherein the emulator program
includes at least two emulator programs which emulate the second game machine

in at least two kinds of first game machines having architectures different from each other, and

starting the execution of the game program for the second game machine based on the emulation program corresponding to a kind of the first game machine.

35 A method according to claim 30, further including the steps of outputting preliminary information indicative of an outline of a game according to the game program, and executing a preliminary program associated with the provisionally-selected game title so as to output the preliminary information, and starting the execution of a formally selected game title when the game title is formally selected.

36. A method according to claim 30, wherein graphics data of a plurality of kinds of characters usable in a game, further including the steps of:

displaying the respective characters prior to the execution of the game program so as to prompt a player to select a desired character out of the displayed characters; and

replacing the graphics data read-out by the emulator program with the graphics data of the character that has been selected by the player.